



LONG RANGE WIRELESS




WHAT IS SUPPORTED

SYSTEM COMPATIBILITY:

- Connect Plus
- Capacity Plus
- Linked Capacity Plus
- IP Site Connect

PUBLIC ADDRESS (PA) Feature

- PA feature is supported ONLY with Wireless RSM
- Use of *MOBILE MIC with BLUETOOTH GATEWAY* may disable MOTOTRBO mobile radio receive audio when either the Internal or External PA is enabled
- PA feature support for *MOBILE MIC with BLUETOOTH GATEWAY* will be available in SR2.3B available August 2014



LONG RANGE WIRELESS



RECOMMENDED CPS SETTINGS

HOOK FEATURE:

- Functions assigned to the hook switch on the Mobile Radio (such as PL and DPL) are not supported

- **RECOMMENDED SETTING: THE HOOK SWITCH FUNCTIONS MUST BE SET TO DISABLED ON THE MOBILE RADIO – SEE BACKUP SLIDE**

INTELLIGENT AUDIO:

- Recommended Setting: Intelligent Audio OFF



HOOK FEATURE DISABLE



Scan

Digital Hing Time (ms) 1000

Analog Hing Time (ms) 1000

Priority Alert

Off-Hook Suspends All

Voice Scan Timeout (sec) 1:00

First Voice RSSI Threshold (dBm) -70

Scan Voice RSSI Threshold (dBm) -100

Off-Hook Suspends
Defines the radio's scan behavior when the microphone is off the hook.

Options

- Disabled: Scan is not affected
- Non-Priority: The radio only scans for priority channels
- All: All scanning is suspended

Select 'ALL' to disable HOOK Features



LONG RANGE WIRELESS




WHAT IS NOT SUPPORTED

DM4600 REV A

- Not compatible with DM4600 *rev A* *Control Head*

KEYPAD MOBILE MIC FEATURES

- All radio capability enabled with a keypad mobile mic



Control Head revision label location



Label indicates revision of Control Head